Chapter 5

- 1. Which of the following is an incorrect statement?
 - a. When rolling a dice, the sum of the probabilities of all possible outcomes is always 1.
 - b. The probability of finding a \$100 bill on the floor of the hallway is -0.0034
 - c. If the probability of a student missing school is 0.056, the probability of them attending is 0.944.
 - d. If tossing heads or tossing tails are mutually exclusive events, and the probability of each outcome is 0.48, the probability of tossing heads or tails is 0.96.
 - e. If gender and weight at birth are independent, and the probability of a baby weighing over 8 lbs is 0.167, the probability of a male baby weighing under 8 lbs is 0.833.
- 2. Two events, A and B have the following probabilities. P(A) = 0.62, P(B) = 0.18.


The P(AnB) = 0.112. Which of the following is true?

- a. A and B are dependent.
- b. A and B are complementary.
- c. A and B are independent.
- d. A and B are mutually exclusive.
- e. Sufficient information has not been given to draw a conclusion.

- 1. Suzie can take two routes to work in the morning, route A or B. If she takes route A, she has a 0.15 chance of experiencing delays. If she takes route B, she has a 0.9 chance of not experiencing delays. The probability of Suzie taking route A is 0.24.
 - a. Draw a tree diagram to represent the situation.

b. What is the probability that Suzie will experience delays?

- c. To avoid delays, which route should Suzie choose? Explain.
- 2. The following Venn diagram represents the language classes taken by a group of 50 high school students.



a. Are the events "Spanish" and "French" mutually exclusive? Are they independent?

b. What is the probability that a student is taking French, given that they are taking a language?