
## **Review:**

1. Simplify: 
$$\sqrt[3]{\frac{-16x^3}{2y^6}}$$
.

- 2. Perform the indicated operations and simplify:  $m^{n+1}r^n = 3m^n r^{2n}$ .
- 3. Perform the indicated operations and simplify:  $\frac{ab}{\frac{1}{a} + \frac{1}{b}}$ .
- 4. Rationalize the denominator:  $\frac{2}{\sqrt{2}+b}$ .
- 5. Evaluate  $5x+1^{\frac{3}{4}}-7-x^0$  for x=3.
- 6. Evaluate  $-2b^2^{-1}$  when b = -2.
- 7. Simplify completely:  $2\sqrt{50} 7\sqrt{18} + \sqrt{8}$ .
- 8. Simplify completely:  $2u \ 3u^2 1 -8u^3 14u + 6$ .
- 9. Simplify completely:  $4(2x+1)^2 + 3(2x+1) + 1$ .
- 10. Factor completely:  $32x^4y-162y$ .
- 11. Perform the indicated operation and simplify completely:  $\frac{z^2 + z 12}{2z^2 + 6z} \cdot \frac{z^2 + 3z}{6z + 24}$ .
- 12. Perform the indicated operation and simplify:  $\frac{3c}{c-2} + \frac{c+1}{2-c}$ .
- 13. Solve for z: 7z (4z 9) = 24 + 5(z 1).
- 14. Solve for  $x : \frac{a}{3} + 5x = b\left(\frac{x}{3} + 2\right)$ .
- 15. Solve for  $t: 2t^2 + 4t = 9t + 18$ .
- 16. Solve for  $s: -2s^2 4s + 2s^3 = 0$ .


17. Solve for 
$$p: \frac{4}{p} - \frac{2}{p+1} = 3$$
.

- 18. To get a B in a course a student must have an average of at least 80% on five tests that are worth 100 points each. On the first four tests a student scores 92%, 83%, 61%, and 71%. Determine the lowest score the student can receive on the fifth test to assure a grade of B for the course.
- 19. The area of a rectangle is 84 square feet and the length is 6 feet longer than the width. If w represents the width, write an equation that could be used to find the dimensions of the rectangle.
- 20. A furniture store drops the price of a table 37 percent to a sale price of \$364.77. What is the original price?
- 21. Solve for t:  $(t+2)^2 = 8$ .
- 22. Solve for z:  $z^2 4z + 6 = 0$ .
- 23. Perform the indicated operation and simplify:  $\sqrt{-2} \cdot \sqrt{-24}$ .
- 24. Solve for  $r: 5-3r \le 8$ .
- 25. Solve for *x*:  $|2x+1| \ge 7$ .
- 26. Find the domain of  $y = \sqrt{4-5x}$ .
- 27. Find the x-intercepts of  $y-2x^2-13x=6$ .
- 28. Find the equation of the graph at the right:




- 29. Find the distance between (6,3) and (-2,4).
- 30. Find the midpoint of the line segment joining (6,9) and (-3,1).

- 31. Find the slope and y-intercept of the line 5x + 4y = 8.
- 32. Find the equation of the line perpendicular to 3y + 2x 3 = 0 passing through (4,-1).
- 33. Find f(-4) if  $f(x) = \frac{2x^2 11}{3x}$ .
- 34. Find f(b+2) if f(x) = 5-3(x+1).
- 35. Find the domain and the range of the function graphed at the right:



- 36. If (5,6) is a point on the graph of y = g(x), find a point on the inverse graph,  $g^{-1}(x)$
- 37. If  $h(t) = \frac{t}{t+1}$ , find the value of t so that h(t) = 3.
- 38. If the graph of y = f(x) is at the right, sketch the graph of y = |f(x)|.



- 39. Rewrite  $10^b = a$  in logarithmic form.
- 40. Rewrite as a single logarithm:  $\frac{1}{2} \log x + 4 \log y 2 \log z$ .
- 41. Solve for t:  $3^{2t} = 27^{2t-1}$ .
- 42. Solve the system of equations:  $\begin{cases} 4x + 3y = 0 \\ 8x = 9y + 2 \end{cases}$
- 43. Express the length of side a in terms of m:

